



## JUX™ Dining Table with Molded Top



Just when you thought JUX<sup>™</sup> couldn't get any cooler, we have added nine completely eye-blowing laminates – for both our bar and dining tables – with the coolest freaking names on the planet. "Printed in Tokyo"? "Calcutta Marble"? The laminates are impact resistant, easy to clean and made in one piece.

Model #	Height	Top Widths	Base Width	Weight		
JX51	30.7"	42"	15.6"	28 lbs		
Material	One-p	iece, rotationally mo	lded, specially formul	ated, high-impact polyethylene with ultraviol	et light	
	stabilizers (to reduce fading). The commercial-grade polyethylene material is also FDA-approved, making it ideal for restaurants, food courts and entertainment facilities. Chemically resistant to bleach,					





<b>Options</b>	luminated Version (Moonglow only) /	/ Bolt-down Plates /	Ballasting (	(25 lbs)
----------------	-------------------------------------	----------------------	--------------	----------

Environmental Test Standards GREENGUARD and GREENGUARD Gold Certified by UL Environment. Product certified for low chemical emissions to UL 2818. UL.COM/GG.

salt solution and chlorine solution. Premium TruColor™ material is fully compounded for superior color and quality assurance. Enhanced UV resistant formulation suitable for both indoor and outdoor use.

Performance Test Standards Product tested to 500 lbs static load.

**Warranty** 5 year limited replacement warranty.

\*To validate warranty, this product is required to be secured with a bolt-down kit or ballasted with a recommended 25 lbs. of sand. Ballasting sand not supplied by Tonik. For complete warranty information, please refer to our Warranty Policy.

Maintenance

For routine and regular cleaning maintenance, Tonik recommends the use of Simple Green® or an equivalent cleaning product. For the deep-scrub cleaning of tougher stains, marks and debris, we recommend the use of Clorox® Clean-Up® Cleaner + Bleach or an equivalent cleaning solution.

For maximum stability, this product requires 50 lbs of added ballast.

## **Finishes**

Due to differences in monitors, printers and materials, actual product colors may vary. Color chips are available for more accurate depiction of color.







